



12 Pin 35A Heavy Duty Connector Female Insert

As a professional manufacturer of high quality 12 Pin 35A Heavy Duty Connector Female Insert, you can rest assured to buy 12 Pin 35A Heavy Duty Connector Female Insert from our factory. We export our products to over 30 countries with strong technical support, excellent quality and service..We always adhere to the principle of "first, customer first" and sincerely invite customers to visit us for guidance.



Product Description

OUKERUI has extensive sales 12 Pin 35A Heavy Duty Connector Female Insert experience factory Type Socket Terminals Material Copper Application Conduct Electricity, Transmission of Electrical Signals, Automation and Equipments. You can rest assured to buy customized 12 Pin 35A Heavy Duty Connector Female Insert. By virtue of the sincere reputation, professional and enthusiastic service, our factory conveys the three fine standards of high-quality materials, preferential prices and high-quality service to our customers, and wins the sincere love of our customers.

Product Description

12 Pin 35A Heavy Duty Connector Female Insert is a Heavy Duty Connector manufacturer with TUV audit.We also have CE,UL,EAC certified high performance connectors. ISO quality management system. Patent configuration, easy installation, quick installation. Personalized interfaces for different scenarios. High quality raw material guarantee. Create more environmentally friendly products.

Basic Info.

Model NO.	HZW-HSB-012F
Contacts Surface Treatment	Silver/Glod Plated
Housing Material	Die-Casting Aluminum Alloy
Working Environments	IP65 for Various Harsh Environments
Contact Cost	Pay Additional Cost for Crimp Contacts



Specification	CE, UL, ROHS
Origin	China
Production Capacity	3000pieces Per Day
Certification	UL
Contact Material	Copper
Housing Coating	Anti-Corrosion Powder Spray
Crimp Tooling	Available
Transport Package	Poly bag and Double Cartons
Trademark	Oukerui
HS Code	8536900000

SPECIFICATION

Model No.	HZW-HSB-012F
Terminal type	Screw Terminal
Housings material	Dia casting aluminum alloy
Working Voltage	400/690V
Rated Impulse Voltage	6KV
International protection(IP) grade	IP65
Flammability	V0
Mechanical Life Span	Min 500 times
Warranty	1 Year
Gender type	Female
Contacts' surface processing	Silver or Gold Plated
Mounting type	Bulkhead/Surface/ cable to cable
Insert Block	Top grade PC
Working Current	35A
Temperature Bearing Range	-40° C~+125° C
Pollution Degree	3




Transport packing	Carton
-------------------	--------

SPECIFICATION OF CONTACT

Material	Copper Alloy
Terminal	Screw/Crimp Terminal
Screw terminal tightening	1.2Nm
Surface Treatment	Silver/Gold Plated
Wire Gauge	4.0-6.0mm ² (AWG12-10)

12 Pin 35A Heavy Duty Connector Female Insert are extensively used in equipment that require electrical and signal connections, such as mold machinery, construction machinery, textile machinery, transportation technology, electric energy, electric locomotives and so on various need electrical and petrochemical equipment.





上壳
Hoods



母插体
Female insert




公插体
Male insert




下壳
Housings







● 开孔安装/Bulkhead mounting
侧面进线/Side entry




● 开孔安装/Bulkhead mounting
顶部进线/Top entry




● 表面安装/Surface mounting
顶部进线/Top entry



● 表面安装/Surface mounting
侧面进线/Side entry



● 电缆对接/Cable to Cable
侧面进线/Side entry



● 电缆对接/Cable to Cable
顶部进线/Top entry